International Endodontic Journal (1996) **29**, 404–407

Author Index

Abdulkader A, Duguid R, Saunders EM. The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Adams NS *see* Shah HN *et al.*
Adlivankine WA, Lavagnoli G. In Memoriam Peter H.A. Guldener, 291
Alavi AM, Gulabivala K, Speight PM. Quantitative analysis of lymphocytes and their subsets in periapical lesions, 344 *abst*
Alhadainy HA. Animal models for the study of perforations of the pulp chamber floor, 195 *abst*
Alvanou A *see* Tziafas D *et al.*
Ando-Kurihara N *see* Sato I *et al.*
Andrews DM *see* Choo ACL *et al.*; Ng Y-L *et al.*
Andrews DMA *see* Shah HN *et al.*
Anic I, Matsumoto K. Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
Anic I, Tachibana H, Masumoto K, Qi P. Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Anic I *see also* Jukic S *et al.*; Katanec D *et al.*
Arikan S *see* Çalt S *et al.*
Aspinwall E *see* Lumley PJ *et al.*
Atalay R, Dalat D. Evaluation of different preparation techniques in curved root canals: an *in vitro* study, 195 *abst*
Ataman BA *see* Kaya A & Ataman BA
Attin T, Lübke T, Hellwig E. Apical seal of glass ionomer root canal sealers, 196 *abst*
Auther A *see* Guignes PH & Auther A
Azinovic D *see* Buntak-Kobler D *et al.*

Banegas G *see* Zmener O & Banegas G
Baran N *see* Sen BH *et al.*
Barnard D, Davies J, Figdor D. Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320
Baron B *see* Gutmann JL *et al.*
Bartha K *see* Dobó Nagy C *et al.*
Barthel CR, Levin LG, Reisner HM, Trope M. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *E. coli* lipopolysaccharide, 196 *abst*
Battrum DE, Gutmann JL. Phantom tooth pain: a diagnosis of exclusion, 190
Bayirli G *see* Küçükay S *et al.*
Beader N *see* Buntak-Kobler D *et al.*
Behrend GD, Cutler CW, Gutmann JL. An *in-vitro* study of smear layer removal and microbial leakage along root-canal filings, 99
Beljic K *see* Ivanovic V & Beljic K
Beltes P, Pissiotis E, Koulaouzidou E, Kortsaris AH. *In vitro* release of hydroxyl ions from six types of calcium hydroxide non-setting pastes, 196 *abst*
Berástegui-Jimeno E *see* Canalda-Sahli C *et al.*
Bernáth M *see* Dobó Nagy C *et al.*
Blaskovic-Subat V *see* Martin G *et al.*
Blunt L *see* Lumley PJ *et al.*
Borin ME *see* Gerosa R *et al.*
Boutsioukis A *see* Liolios E *et al.*
Brau-Aguadé E *see* Canalda-Sahli C *et al.*
Brekalo I *see* Martin G *et al.*
Bryant S *see* Lloyd A *et al.*
Buntak-Kovler D, Presecki V, Beader N, Pichler G, Azinovic D. Effects of XeCl excimer laser on oral microflora *in vitro*, 197 *abst*
Buyukyilmaz T *see* Sen BH *et al.*

Çaliskan MKM, Türkün M. Root canal treatment of a root-fractured incisor tooth with internal resorption: a case report, 393
Çalt S, Arikan S, Sehri K. An evaluation of cytotoxic effects of NaOCl, EDTA and Tubulicid Plus, 197 *abst*
Canalda-Sahli C, Brau-Aguadé E, Berástegui-Jimeno E. A comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
Cavalleri G *see* Gerosa R *et al.*
Cekic Arambasin A *see* Prpic-Mehicic G *et al.*
Cenktas A *see* Özçelik B *et al.*
Chailertvanitkul P, Saunders WP, Mackenzie D. An assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Chailertvanitkul P, Saunders WP, Mackenzie D. The effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
Chailertvanitkul P, Saunders WP, Mackenzie D, Weetman DA. An *in vitro* study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249
Chan AWK, Cheung GSP. A comparison of stainless steel and nickel-titanium K-files in curved root canals, 370
Chandler NP *see* Love RM & Chandler NP; Love RM *et al.*
Chang K-M *see* Lin LM *et al.*
Cheung GSP *see* Chan AWK & Cheung GSP
Choo ACL, Gharbia SE, Andrews DM, Gulabivala K, Shah HN. The detection of *Actinobacillus actinomycetemcomitans* in root canals and its virulence potential, 344 *abst*
Christiansen RK *see* Knowles KI *et al.*
Christie WH *see* Peikoff MD *et al.*
Ciglar I *see* Skaljac-Staudt G & Ciglar I
Cohenca N *see* Rotstein I *et al.*
Curtis R *see* Patel S & Curtis R
Curtis RV *see* Elliott LM *et al.*
Cutler CW *see* Behrend GD *et al.*

Dahlén G *see* Molander A *et al.*
Dalat D *see* Atalay R & Dalat D
Davidson D *see* Raab WHM *et al.*
Davies J *see* Barnard D *et al.*
Dindar S *see* Özbas H & Dindar S
Dobó Nagy C, Bartha K, Bernáth M, Verdes E, Szabó J. Effect of Schneider's angle and root canal form on instrument shaping characteristics, 197 *abst*
Docker M *see* Lumley PJ *et al.*
Dogan H, Özçelik B, Ünver T. Evaluation of effect of blood contamination on apical seal using dye and a clearing method, 197 *abst*
Drucker DB *see* Gomes BPFA *et al.*
Duguid R *see* Abdulkader A *et al.*
Dummer PMH *see* Lloyd A *et al.*

Ebert J, Pawlicka H, Petschelt A. Relation between dye penetration and radiographic assessment of root canal fillings *in vitro*, 198 *abst*
Economides N *see* Liolios E *et al.*

© 1996 Blackwell Science Ltd

International Endodontic Journal (1996) **29**, 404–407

Author Index

Abdulkader A, Duguid R, Saunders EM. The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Adams NS *see* Shah HN *et al.*
Adlivankine WA, Lavagnoli G. In Memoriam Peter H.A. Guldener, 291
Alavi AM, Gulabivala K, Speight PM. Quantitative analysis of lymphocytes and their subsets in periapical lesions, 344 *abst*
Alhadainy HA. Animal models for the study of perforations of the pulp chamber floor, 195 *abst*
Alvanou A *see* Tziafas D *et al.*
Ando-Kurihara N *see* Sato I *et al.*
Andrews DM *see* Choo ACL *et al.*; Ng Y-L *et al.*
Andrews DMA *see* Shah HN *et al.*
Anic I, Matsumoto K. Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
Anic I, Tachibana H, Masumoto K, Qi P. Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Anic I *see also* Jukic S *et al.*; Katanec D *et al.*
Arikan S *see* Çalt S *et al.*
Aspinwall E *see* Lumley PJ *et al.*
Atalay R, Dalat D. Evaluation of different preparation techniques in curved root canals: an *in vitro* study, 195 *abst*
Ataman BA *see* Kaya A & Ataman BA
Attin T, Lübke T, Hellwig E. Apical seal of glass ionomer root canal sealers, 196 *abst*
Auther A *see* Guignes PH & Auther A
Azinovic D *see* Buntak-Kobler D *et al.*

Banegas G *see* Zmener O & Banegas G
Baran N *see* Sen BH *et al.*
Barnard D, Davies J, Figdor D. Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320
Baron B *see* Gutmann JL *et al.*
Bartha K *see* Dobó Nagy C *et al.*
Barthel CR, Levin LG, Reisner HM, Trope M. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *E. coli* lipopolysaccharide, 196 *abst*
Battrum DE, Gutmann JL. Phantom tooth pain: a diagnosis of exclusion, 190
Bayirli G *see* Küçükay S *et al.*
Beader N *see* Buntak-Kobler D *et al.*
Behrend GD, Cutler CW, Gutmann JL. An *in-vitro* study of smear layer removal and microbial leakage along root-canal filings, 99
Beljic K *see* Ivanovic V & Beljic K
Beltes P, Pissiotis E, Koulaouzidou E, Kortsaris AH. *In vitro* release of hydroxyl ions from six types of calcium hydroxide non-setting pastes, 196 *abst*
Berástegui-Jimeno E *see* Canalda-Sahli C *et al.*
Bernáth M *see* Dobó Nagy C *et al.*
Blaskovic-Subat V *see* Martin G *et al.*
Blunt L *see* Lumley PJ *et al.*
Borin ME *see* Gerosa R *et al.*
Boutsioukis A *see* Liolios E *et al.*
Brau-Aguadé E *see* Canalda-Sahli C *et al.*
Brekalo I *see* Martin G *et al.*
Bryant S *see* Lloyd A *et al.*
Buntak-Kovler D, Presecki V, Beader N, Pichler G, Azinovic D. Effects of XeCl excimer laser on oral microflora *in vitro*, 197 *abst*
Buyukyilmaz T *see* Sen BH *et al.*

Çaliskan MKM, Türkün M. Root canal treatment of a root-fractured incisor tooth with internal resorption: a case report, 393
Çalt S, Arikan S, Sehri K. An evaluation of cytotoxic effects of NaOCl, EDTA and Tubulicid Plus, 197 *abst*
Canalda-Sahli C, Brau-Aguadé E, Berástegui-Jimeno E. A comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
Cavalleri G *see* Gerosa R *et al.*
Cekic Arambasin A *see* Prpic-Mehicic G *et al.*
Cenktas A *see* Özçelik B *et al.*
Chailertvanitkul P, Saunders WP, Mackenzie D. An assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Chailertvanitkul P, Saunders WP, Mackenzie D. The effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
Chailertvanitkul P, Saunders WP, Mackenzie D, Weetman DA. An *in vitro* study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249
Chan AWK, Cheung GSP. A comparison of stainless steel and nickel-titanium K-files in curved root canals, 370
Chandler NP *see* Love RM & Chandler NP; Love RM *et al.*
Chang K-M *see* Lin LM *et al.*
Cheung GSP *see* Chan AWK & Cheung GSP
Choo ACL, Gharbia SE, Andrews DM, Gulabivala K, Shah HN. The detection of *Actinobacillus actinomycetemcomitans* in root canals and its virulence potential, 344 *abst*
Christiansen RK *see* Knowles KI *et al.*
Christie WH *see* Peikoff MD *et al.*
Ciglar I *see* Skaljac-Staudt G & Ciglar I
Cohenca N *see* Rotstein I *et al.*
Curtis R *see* Patel S & Curtis R
Curtis RV *see* Elliott LM *et al.*
Cutler CW *see* Behrend GD *et al.*

Dahlén G *see* Molander A *et al.*
Dalat D *see* Atalay R & Dalat D
Davidson D *see* Raab WHM *et al.*
Davies J *see* Barnard D *et al.*
Dindar S *see* Özbas H & Dindar S
Dobó Nagy C, Bartha K, Bernáth M, Verdes E, Szabó J. Effect of Schneider's angle and root canal form on instrument shaping characteristics, 197 *abst*
Docker M *see* Lumley PJ *et al.*
Dogan H, Özçelik B, Ünver T. Evaluation of effect of blood contamination on apical seal using dye and a clearing method, 197 *abst*
Drucker DB *see* Gomes BPFA *et al.*
Duguid R *see* Abdulkader A *et al.*
Dummer PMH *see* Lloyd A *et al.*

Ebert J, Pawlicka H, Petschelt A. Relation between dye penetration and radiographic assessment of root canal fillings *in vitro*, 198 *abst*
Economides N *see* Liolios E *et al.*

© 1996 Blackwell Science Ltd

Edmunds DH *see* Pathomvanich S & Edmunds DH
Efeoglu A *see* Küçükay S *et al.*
Elliott LM, Curtis RV, Pitt Ford TR. Cutting pattern of nickel-titanium and stainless-steel files, 345 *abst*
Emery CD, Hoskinson AE, Gulabivala K. The influence of D and E speed film on root canal working length determination, 345 *abst*

Ferreira MOF *see* Imura N *et al.*
Figdor D *see* Barnard D *et al.*
Flóra-Nagy E *see* Juhász A *et al.*
Fogel HM *see* Peikoff MD *et al.*
Fox K, Gutteridge DL. An *in vitro* study of coronal microleakage around post and core systems, 345 *abst*
Foye RH *see* Rehman K *et al.*
Frazier LW *see* Gutmann JL *et al.*
Fried K *see* Kerezoudis NP *et al.*
Friedlander C, Tamse A, Fuss Z, Gordon M. Sealing ability of three dental cements following cementation of endodontic posts *in vitro*, 198 *abst*
Friedman S *see* Nguyen HW *et al.*
Fuss Z *see* Friedlander C *et al.*; Shalhav M *et al.*

Gaengler P *see* Lin LM *et al.*
Gambarini G *see* Gerosa R *et al.*
Georgopouloy M *see* Kontakiotis E *et al.*
Gerosa R, Borin ME, Cavalleri G, Gambarini G. An *in vitro* evaluation of the cytotoxicity of four eugenols, 198 *abst*
Gharbia SE *see* Choo ACL *et al.*; Ng Y-L *et al.*; Shah HN *et al.*; Yu V *et al.*
Gomes BPFA, Lilley JD, Drucker DB. Associations of endodontic symptoms and signs with particular combinations of specific bacteria, 69
Gomes BPFA, Lilley JD, Drucker DB. Variations in the susceptibilities of components of the endodontic microflora to biomechanical procedures, 235
Gomes BPFA, Lilley JD, Drucker DB, Worthington HV. Similarities of endodontic infection of two teeth in the same mouth, 346 *abst*
Gomes BPFA, Rodrigues HH, Tancredo N. The use of a modelling technique to investigate the root canal morphology of mandibular incisors, 29
Gordon M *see* Friedlander C *et al.*
Greer JM, Moule AJ, Greer PJ. Resumed tooth development following avulsion of a permanent central incisor, 266
Greer PJ *see* Greer JM *et al.*
Grosrey J *see* Lussi A *et al.*
G'Sell C *see* Jacquot BM *et al.*
Guignes PH, Auther A. Influence of EDTA and ultrasonic irrigation on radicular dentine permeability measured *in vitro*, 199 *abst*
Gulabivala K *see* Alavi AM *et al.*; Choo ACL *et al.*; Emery CD *et al.*; Ng Y-L *et al.*; Shah HN *et al.*; Yu V *et al.*
Günel H *see* Özçelik B *et al.*
Guo IY *see* Leonard JE *et al.*
Gutmann JL, Frazier LW, Baron B. Plasma catecholamine and haemodynamic responses to surgical endodontic anaesthetic protocols, 37
Gutmann JL *see also* Battrum DE & Gutmann JL; Behrend GD *et al.*; Leonard JE *et al.*; Snyder Williams S & Gutmann JL; Witherspoon DE & Gutmann JL
Gutteridge DL *see* Fox K & Gutteridge DL

Halacková Z. Root canal obturation with gutta-percha and glass ionomer root canal sealer, 199 *abst*
Harrington E *see* Lumley PJ *et al.*
Hegedüs C *see* Juhász A *et al.*
Hellwig E *see* Attin T *et al.*
Heyeraas K *see* Raab WHM *et al.*
Hoshino E, Kurihara-Ando N, Sato I, Uematsu H, Sato M, Kota K, Iwaku M. *In-vitro* antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
Hoshino E *see also* Sato I *et al.*
Hoskinson AE. History of the European Society of Endodontology, 213
Hoskinson AE *see also* Emery CD *et al.*
Hunter MJ, Lilley JD. The relationship between canal taper and the extent of apical seal afforded by various obturation systems, 346 *abst*

Ibarrola JL *see* Knowles KI *et al.*
Imura N, Zuolo ML, Ferreira MOF, Novo NF. Effectiveness of the Canal Finder and hand instrumentation in removal of gutta-percha root filings during root canal retreatment, 382
Ivanovic V, Beljic K. Difference between real curvature of the palatal root canal and its projection on clinical radiographs, 199 *abst*
Iwaku M *see* Hoshino E *et al.*; Sato I *et al.*

Jacquot BM, Panighi MM, Steinmetz P, G'Sell C. Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256
Jaunberzins A *see* Lloyd A *et al.*
Jenkinson HF *see* Love RM *et al.*
John C, Weiger R, Löst C. Ultrasonic inspection of root canals *in vitro* – a new method, 200 *abst*
Juhász A, Hegedüs C, Flóra-Nagy E, Márton I. Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200
Jukic S, Anic I, Koba K, Matsumoto K. The effects of CO2 and Nd:YAG lasers on dental pulp tissue, 200 *abst*

Kapkin H *see* Kartal N *et al.*
Kaplowitz GJ. Clinical uses of rectified turpentine oil, 93
Karagöz-Küçükay I *see* Küçükay S *et al.*
Kartal N, Kapkin H, Yanikoglu F. The degrees and configurations of mesial canal curvatures of mandibular first molars, 200 *abst*
Katanec D, Kobler P, Anic I. Clinical evaluation of ceramic hydroxylapatite in periradicular bone defect treatment, 201 *abst*
Kaufman AY *see* Nguyen HW *et al.*
Kaya A, Ataman BA. Evaluation of penetration of low viscosity resin into dentinal tubules by SEM, 201 *abst*
Kerezoudis NP, Olgart L, Fried K. Functional and histological studies of rat incisor pulp after inferior alveolar nerve injury, 201 *abst*
Kerezoudis NP *see also* Siskos GJ *et al.*
Khabbaz MG, Serefoglou MH. The application of the buccal object rule for the determination of calcified root canals, 284
Knowles KI, Ibarrola JL, Christiansen RK. Assessing apical deformation and transportation following the use of LightSpeedTM root-canal instruments, 113
Koba K *see* Jukic S *et al.*
Kobler P *see* Katanec D *et al.*
Komorowski RC *see* Nguyen HW *et al.*
Kontakiotis E, Georgopouloy M, Panopoulos P, Nakoy M. *In vitro* study of the antibacterial properties of two calcium hydroxide-based root canal sealers, 202 *abst*
Kontakiotis E, Panopoulos P. pH of root canal sealers containing calcium hydroxide, 202 *abst*
Kortsaris AH *see* Beltes P *et al.*
Kota K *see* Hoshino E *et al.*; Sato I *et al.*
Koulaouzidou E *see* Beltes P *et al.*
Küçükay S. Clinical evaluation of Trifecta system with or without sealer, 202 *abst*
Küçükay S, Karagöz-Küçükay I, Bayirli G. Influence of stepback versus

stepdown instrumentation techniques on post-preparation pain, 203 *abst*
Küçükay S, Karagöz-Küçükay I, Bayirli G, Okuyan M. Efficacy of antibiotic prophylaxis on post-preparation symptoms in asymptomatic teeth with periapical pathosis, 203 *abst*
Küçükay S, Karagöz-Küçükay I, Bayirli G, Yüksel G, Efeoglu A. Prevalence of periapical radiolucent lesions and quality of endodontic treatment in a Turkish population, 203 *abst*
Kukletová M, Pokorná M. Contribution to the nerve fibre significance in human predentine, 204 *abst*
Kunasingam R *see* Robinson PB *et al.*
Kurihara-Ando N *see* Hoshino E *et al.*

Langeland K *see* Lin LM *et al.*
Lavagnoli G *see* Adlivankine WA & Lavagnoli G
Leonard JE, Gutmann JL, Guo IY. Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
Leung C *see* Lin LM *et al.*
Levin LG *see* Barthel CR *et al.*
Lilley JD *see* Gomes BPFA *et al.*; Hunter MJ & Lilley JD
Lin LM, Gaengler P, Langeland K. Periradicular curettage: *review*, 220
Lin LM, Wang S-L, Wu-Wang C, Chang K-M, Leung C. Detection of epidermal growth factor receptor in inflammatory periapical lesions, 179
Liolios E, Economides N, Parissis-Messimeris S, Boutsioukis A. Effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 204 *abst*
Lloyd A, Jaunberzins A, Dummer PMH, Bryant S. Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip. SEM analysis, 295
Löst C *see* John C *et al.*
Love RM. Adherence of *Streptococcus gordonii* to smeared and nonsmeared dentine, 108
Love RM, Chandler NP. A scanning electron and confocal laser microscope investigation of tetracycline-affected human dentine, 376
Love RM, Chandler NP, Jenkinson HF. Penetration of smeared or nonsmeared dentine by *Streptococcus gordonii*, 2
Love RM *see also* Purton DG & Love RM
Lübke T *see* Attin T *et al.*
Lumley PJ, Docker M, Walmsley AD, Marquis PM. Operating characteristics of the MM 1500 sonic handpiece, 347 *abst*
Lumley PJ, Harrington E, Aspinwall E, Blunt L, Walmsley AD, Marquis PM. Factors affecting the cutting ability of sonic files, 173
Lumley PJ, Harrington E, Marquis PM, Walmsley AD. Intra-canal cutting ability of MM1500 files, 309
Lussi A, Portmann P, Suter B, Grosrey J. A method to fill root canals *in vivo* with the vacuum obturation technique, 204 *abst*

McDonald F *see* Odor TM *et al.*
Mackenzie D *see* Chailertvanitkul P *et al.*
Makhani SHS, Whitworth JM. Curing of light-activated post and core pattern resins, 347 *abst*
Marquis PM *see* Lumley PJ *et al.*
Martin G, Blaskovic-Subat V, Brekalo I. Capability of three canal instruments for preparing simulated curved canals, 205 *abst*
Márton I *see* Juhász A *et al.*
Masumoto K *see* Anic I *et al.*
Matsumoto K *see* Anic I & Matsumoto K; Jukic S *et al.*
Millar BJ, Smith PB. The reliability of pulp testing primary teeth using a constant-voltage stimulator, 205 *abst*
Millar BJ *see also* Robinson PB *et al.*
Molander A, Reit C, Dahlén G. Microbiological root canal sampling: diffusion of a technology, 163
Molander A, Reit C, Dahlén G. Reasons for dentists' acceptance or rejection of microbiological root canal sampling, 168
Mor C *see* Rotstein I *et al.*
Moshonov J *see* Rotstein I *et al.*
Moule AJ *see* Greer JM *et al.*

Nakoy M *see* Kontakiotis E *et al.*
Ng Y-L, Andrews DM, Gharbia SE, Gulabivala K, Shah HN. The molecular basis of penicillin resistance in *Prevotella intermedia* and *Prevotella nigrescens*, 347 *abst*
Nguyen HQ, Kaufman AY, Komorowski RC, Friedman S. Electronic length measurement using small and large files in enlarged canals, 359
Niksic D *see* Prpic-Mehicic G *et al.*
Novo NF *see* Imura N *et al.*

Odor TM, Pitt Ford TR, McDonald F. Bandwidth and probe design: the effect on laser Doppler readings from vital and root-filled teeth, 205 *abst*
Odor TM, Pitt Ford TR, McDonald F. Correlation of laser Doppler traces with pulp canal contents in non-vital teeth, 347 *abst*
Odor TM, Watson TF, Pitt Ford TR, McDonald F. Pattern of transmission of laser light in teeth, 228
Okuyan M *see* Küçükay S *et al.*
Olgart L *see* Kerezoudis NP *et al.*
Orstavik D. Time-course and risk analyses of the development and healing of chronic apical periodontitis in man, 150
Özbas H, Dindar S. Histopathological evaluation of tissue reactions to titanium dioxide in comparison with calcium hydroxide, 206 *abst*
Özçelik B, Cenktas A, Günel H. A comparison of spreader loads and root distortion under simulated clinical condition, 206 *abst*
Özçelik B *see also* Dogan H *et al.*

Panapoulos P *see* Kontakiotis E *et al.*
Panighi MM *see* Jacquot BM *et al.*
Panopoulos P *see* Kontakiotis E & Panopoulos P; Serefoglou M & Panopoulos P
Parissis-Messimeris S *see* Liolios E *et al.*
Patel S, Curtis R. An investigation of the maintenance of canal curvature using two different types of endodontic file, 350 *abst*
Pathomvanich S, Edmunds DH. The sealing ability of Thermafil obturators assessed by four different microleakage techniques, 327
Pathomvanich S, Edmunds DH. Thermafil and laterally condensed gutta-percha root fillings compared using four different techniques to assess apical microleakage, 348 *abst*
Pathomvanich S, Edmunds DH. Variation in the microleakage produced by four different techniques in root fillings in a simulated root canal model, 156
Pawlicka H *see* Ebert J *et al.*
Peikoff MD, Christie WH, Fogel HM. The maxillary second molar: variations in the number of roots and canals, 365
Petschelt A *see* Ebert J *et al.*
Pichler G *see* Buntak-Kobler D *et al.*
Piskin B *see* Sen BH *et al.*
Pissiotis E *see* Beltes P *et al.*
Pitt Ford TR *see* Elliott LM *et al.*; Odor TM *et al.*; Shadwell GH *et al.*
Pokorná M *see* Kukletová M & Pokorná M
Portmann P *see* Lussi A *et al.*
Presecki V *see* Buntak-Kobler D *et al.*
Prpic-Mehicic G, Cekic Arambasin A, Niksic D. Analgesic efficacy of diclofenac potassium in the management of endodontically caused pain, 206 *abst*
Purton DG, Love RM. Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262

Qi P *see* Anic I *et al.*

Raab WHM, Heyeraas K, Davidson D. Changes in pulpal microcirculation and tissue pressure following preparation of dentine using Er:YAG-laser, 206 *abst*
Raab WHM *see also* Spiller S *et al.*
Rehman K, Saunders WP, Foye RH, Sharkey SW. Calcium ion diffusion from calcium hydroxide-containing materials in endodontically-treated teeth: an *in vitro* study, 271
Reisner HM *see* Barthel CR *et al.*
Reit C *see* Molander A *et al.*
Robinson PB, Kunasingam R, Millar BJ. An audit of endodontic treatment by undergraduates, 207 *abst*
Rodrigues HH *see* Gomes BPFA *et al.*
Rotstein I, Cohenca N, Mor C, Moshonov J, Stabholz A. Effect of 10% carbamide peroxide and 10% hydrogen peroxide on IRM temporary fillings, 207 *abst*

Sato I, Ando-Kurihara N, Kota K, Iwaku M, Hoshino E. Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118
Sato I *see also* Hoshino E *et al.*
Sato M *see* Hoshino E *et al.*
Saunders EM *see* Abdulkader A *et al.*
Saunders WP. Editorials, 1, 219
Saunders WP. Frederick John Harty: obituary, 289
Saunders WP *see also* Chailertvanitkul P *et al.*; Rehman K *et al.*; Sutton J & Saunders WP
Schäfer E, Tepel J. Cutting efficiency of Hedstrom, S and U files made of various alloys in filing motion, 302
Seccombe GV, Steele JG, Whitworth JM. Towards a greater understanding of NHS endodontics, 349 *abst*
Sehri K *see* Çalt S *et al.*
Sen BH, Buyukyilmaz T, Baran N. Introducing the use of titanium tetrafluoride solution to endodontics, 207 *abst*
Sen BH, Piskin B, Baran N. The effect of tubular penetration of root canal sealers of dye microleakage, 23
Serefoglou M, Panopoulos P. Changes in intradental nerve excitability after pretreatment of exposed dentine with 10% SrCl2, 208 *abst*
Serefoglou MH *see* Khabbaz MG & Serefoglou MH
Shadwell GH, Sherriff M, Pitt Ford TR. A study of the physical properties of a potential root canal filling material, 348 *abst*
Shah HN, Adams NS, Andrews DMA, Gulabivala K, Gharbia SE. A bioelectrical approach to studies on nitrogen assimilation in *Porphyromonas endodontalis* and *Peptostreptococcus micros*, 349 *abst*
Shah HN *see also* Choo ACL *et al.*; Ng Y-L *et al.*; Yu V *et al.*
Shalhav M, Fuss Z, Weiss E. Antimicrobial activity of calcium hydroxide-containing endodontic sealers on *Streptococcus faecalis in vitro*, 208 *abst*
Sharkey SW *see* Rehman K *et al.*
Shearer AC, Wasti F, Wilson NHF. The use of a radiopaque contrast medium in endodontic radiography, 95
Sherriff M *see* Shadwell GH *et al.*
Siskos GJ, Kerezoudis NP, Sykaras SN. Factors associated with vertical root fractures on endodontically-treated teeth, 208 *abst*
Skaljac-Staudt G, Ciglar I. Quantitative analysis of immunoglobulin in acute pulpitis, 209 *abst*
Smith PB *see* Millar BJ & Smith PB
Snyder Williams S, Gutmann JL. Periradicular healing in response to Diaket root-end filling material with and without tricalcium phosphate, 84; erratum, 216
Speight PM *see* Alavi AM *et al.*
Spiller S, Voss A, Raab WHM. Spectral properties of blood-filled teeth measured by difference reflectometry, 209 *abst*
Stabholz A *see* Rotstein I *et al.*
Steele JG *see* Seccombe GV *et al.*
Steinmetz P *see* Jacquot BM *et al.*
Suter B *see* Lussi A *et al.*
Sutton J, Saunders WP. Effect of various irrigant and autoclaving regimes on the fracture resistance of rubber dam clamps, 335
Sykaras SN *see* Siskos GJ *et al.*
SzabEo J *see* Dobó Nagy C *et al.*

Tachibana H *see* Anic I *et al.*
Tamse A *see* Friedlander C *et al.*
Tancredo N *see* Gomes BPFA *et al.*
Tepel J *see* Schäfer E & Tepel J
Trope M *see* Barthel CR *et al.*
Türkün M *see* Çaliskan MK & Türkün M
Tziafas D, Veis A, Alvanou A. Inability of calcium hydroxide to induce dentinogenesis in intrapulpal sites, 209 *abst*

Uematsu H *see* Hoshino E *et al.*
Ünver T *see* Dogan H *et al.*

Veis A *see* Tziafas D *et al.*
Verdes E *see* Dobó Nagy C *et al.*
Voss A. Computer processed root canal length measurement via digital X-ray imaging and a new scaled measuring instrument, 210 *abst*
Voss A *see also* Spiller S *et al.*

Walmsley AD *see* Lumley PJ *et al.*
Wang S-L *see* Lin LM *et al.*
Wasti F *see* Shearer AC *et al.*
Watson TF *see* Odor TM *et al.*
Weetman DA *see* Chailertvanitkul P *et al.*
Weiger R *see* John C *et al.*
Weiss E *see* Shalhav M *et al.*
Whitworth GV *see* Seccombe GV *et al.*
Whitworth JM *see* Makhani SHS & Whitworth JM
Williams J *see* Yu V *et al.*
Wilson NHF *see* Shearer AC *et al.*
Witherspoon DE, Gutmann JL. Haemostasis in periradicular surgery: *review*, 135
Worthington HV *see* Gomes BPFA *et al.*
Wu-Wang C *see* Lin LM *et al.*

Yanikoglu F *see* Kartal N *et al.*
Yu V, Gharbia SE, Williams J, Gulabivala K, Shah HN. A genetic approach to identify root canal spirochaetes and their potential virulence factors, 350 *abst*
Yüksel G *see* Küçükay S *et al.*

Zmener O, Banegas G. Comparison of three instrumentation techniques in the preparation of simulated curved root canals, 315
Zuolo ML *see* Imura N *et al.*

International Endodontic Journal (1996) **29**, 408–414

Subject Index

Actinobacillus actinomycetemcomitans, The detection of *Actinobacillus actinomycetemcomitans* in root canals and its virulence potential, 344 *abst*

Actinomyces israelii, Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320

AH 26, Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*

Anaerobe, An *in vitro* study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249

Analgesic efficacy, Analgesic efficacy of diclofenac potassium in the management of endodontically caused pain, 206 *abst*

Animal models, Animal models for the study of perforations of the pulp hamber floor, 195 *abst*

Antibiotics
- Efficacy of antibiotic prophylaxis on post-preparation symptoms in asymptomatic teeth with periapical pathosis, 203 *abst*
- *In-vitro* antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
- Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320

Apical constriction, Electronic length measurement using small and large files in enlarged canals, 359

Apical cyst, Periradicular curettage: *review*, 220

Apical deformation, Assessing apical deformation and transportation following the use of Light-SpeedTM root-canal instruments, 113

Apical foramen, Calcium ion diffusion from calcium hydroxide-containing materials in endodontically-treated teeth: an *in vitro* study, 271

Apical microleakage *see* Microleakage: Sealers

Apical periodontitis, Time-course and risk analyses of the development and healing of chronic apical periodontitis in man, 150

Apical seal
- Apical seal of glass ionomer root canal sealers, 196 *abst*
- Evaluation of effect of blood contamination on apical seal using dye and a clearing method, 197 *abst*
- The relationship between canal taper and the extent of apical seal afforded by various obturation systems, 346 *abst*

Apical transportation
- A comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
- A comparison of stainless steel and nickel-titanium K-files in curved root canals, 370

Argon laser
- Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
- Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
- *see also* Laser: Lasers

Audit, An audit of endodontic treatment by undergraduates, 207 *abst*

Autoclaving, Effect of various irrigant and autoclaving regimes on the fracture resistance of rubber dam clamps, 335

Avulsion, Resumed tooth development following avulsion of a permanent central incisor, 266

Bacteria
- Adherence of *Streptococcus gordonii* to smeared and nonsmeared dentine, 108
- Antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
- Effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
- *In-vitro* antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
- *In-vitro* study of smear layer removal and microbial leakage along root-canal fillings, 99
- Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118

Bacterial association, Associations of endodontic symptoms and signs with particular combinations of specific bacteria, 69

Bandwidth, Bandwidth and probe design: the effect on laser Doppler readings from vital and root-filled teeth, 205 *abst*

Bending moment, A comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185

Biocompatibility, Haemostasis in periradicular surgery: *review*, 135

Biomechanical procedures, Variations in the susceptibilities of components of the endodontic microflora to biomechanical procedures, 235

Blood contamination, Evaluation of effect of blood contamination on apical seal using dye and a clearing method, 197 *abst*

Blood-filled teeth, Spectral properties of blood-filled teeth measured by difference reflectometry, 209 *abst*

British Endodontic Society, Spring Scientific Meeting, *abs*tracts, 344

Calcification, The application of the buccal object rule for the determination of calcified root canals, 284

Calcium hydroxide
- Antimicrobial activity of calcium hydroxide-containing endodontic sealers on *Streptococcus faecalis in vitro*, 208 *abst*
- Calcium ion diffusion from calcium hydroxide-containing materials in endodontically-treated teeth: an *in vitro* study, 271
- Histopathological evaluation of tissue reactions to titanium dioxide in comparison with calcium hydroxide, 206 *abst*
- *in vitro* release of hydroxyl ions from six types of calcium hydroxide non-setting pastes, 196 *abst*
- *in vitro* study of the antibacterial properties of two calcium hydroxide-based root canal sealers, 202 *abst*
- Inability of calcium hydroxide to induce dentinogenesis in intrapulpal sites, 209 *abst*
- pH of root canal sealers containing calcium hydroxide, 202 *abst*
- Root canal treatment of a root-fractured incisor tooth with internal resorption: a case report, 393
- Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320
- TNF-alpha release in monocytes after exzposure to calcium hydroxide treated *E. coli* lipopolysaccharide, 196 *abst*

Canal anatomy, The maxillary second molar: variations in the number of roots and canals, 365

Canal Finder system, Effectiveness of the Canal Finder and hand instrumentation in removal of gutta-percha root fillings during root canal retreatment, 382

© 1996 Blackwell Science Ltd

Canal tapers
The relationship between canal taper and the extent of apical seal afforded by various obturation systems, 346 *abst*
see also Root canal
Capnocytophaga, The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Carbamide peroxide, Effect of 10% carbamide peroxide and 10% hydrogen peroxide on IRM temporary fillings, 207 *abst*
Carbon fibre, Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262
Catecholamines, Plasma catecholamine and haemodynamic responses to surgical endodontic anaesthetic protocols, 37
Cavit, Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256
Ceramic hydroxylapatite, Clinical evaluation of ceramic hydroxylapatite in periradicular bone defect treatment, 201 *abst*
Ciprofloxacin
In-vitro antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118
CO2 laser
Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
Effects of CO2 and Nd:YAG lasers on dental pulp tissue, 200 *abst*
Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Confocal laser microscopy, A scanning electron and confocal laser microscope investigation of tetracycline-affected human dentine, 376
Constant-voltage stimulator, The reliability of pulp testing primary teeth using a constant-voltage stimulator, 205 *abst*
Coronal leakage *see* Microleakage: Sealers
Curvature
Capability of three canal instruments for preparing simulated curved canals, 205 *abst*
Degrees and configurations of mesial canal curvatures of mandibular first molars, 200 *abst*
Difference between real curvature of the palatal root canal and its projection on clinical radiographs, 199 *abst*
Evaluation of different preparation techniques in curved root canals: an *in vitro* study, 195 *abst*
see also Root canal
Cutting
Cutting efficiency of Hedstrom, S and U files made of various alloys in filing motion, 302
Cutting pattern of nickel-titanium and stainless-steel files, 345 *abst*
Factors affecting the cutting ability of sonic files, 173
Intra-canal cutting ability of MM 1500 files, 309
Cytotoxicity, An *in vitro* evaluation of the cytotoxicity of four eugenols, 198 *abst*

Deafferentation, Phantom tooth pain: a diagnosis of exclusion, 190
Dental cements, Sealing ability of three dental cements following cementation of endodontic posts *in vitro*, 198 *abst*
Dental pulp tissue, The effects of CO2 and Nd:YAG lasers on dental pulp tissue, 200 *abst*
Dentinal tubules
Calcium ion diffusion from calcium hydroxide-containing materials in endodontically-treated teeth: an *in vitro* study, 271
Evaluation of penetration of low viscosity resin into dentinal tubules by SEM, 201 *abst*
Dentine
Adherence of *Streptococcus gordonii* to smeared and nonsmeared dentine, 108
Pattern of transmission of laser light in teeth, 228
Scanning electron and confocal laser microscope investigation of tetracycline-affected human dentine, 376
Dentine bonding agent, Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
Dentine permeability
Penetration of smeared or nonsmeared dentine by *Streptococcus gordonii*, 2
Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Dentinogenesis, Inability of calcium hydroxide to induce dentinogenesis in intrapulpal sites, 209 *abst*
Dentists' attitudes, Reasons for dentists' acceptance or rejection of microbiological root canal sampling, 168
Diaket, Periradicular healing in response to Diaket root-end filling material with and without tricalcium phosphate, 84; erratum, 216
Diclofenac potassium, Analgesic efficacy of diclofenac potassium in the management of endodontically caused pain, 206 *abst*
Difference reflectometry, Spectral properties of blood-filled teeth measured by difference reflectometry, 209 *abst*
Digital X-ray imaging, Computer processed root canal length measurement via digital X-ray imaging and a new scaled measuring instrument, 210 *abst*
Dressing materials, The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Dye penetration, Relation between dye penetration and radiographic assessment of root canal fillings *in vitro*, 198 *abst*

E. coli lipopolysaccharide, TNF-alpha release in monocytes after exposure to calcium hydroxide treated *E. coli* lipopolysaccharide, 196 *abst*
EDTA
Evaluation of cytotoxic effects of NaOCl, EDTA and Tubulicid Plus, 197 *abst*
In-vitro study of smear layer removal and microbial leakage along root-canal fillings, 99
Influence of EDTA and ultrasonic irrigation on radicular dentine permeability measured *in vitro*, 199 *abst*
Electronic apex locators, Electronic length measurement using small and large files in enlarged canals, 359
Enamel, Pattern of transmission of laser light in teeth, 228
Endodontic infection, Similarities of endodontic infection of two teeth in the same mouth, 346 *abst*
Endodontic posts, Sealing ability of three dental cements following cementation of endodontic posts *in vitro*, 198 *abst*
Endodontic symptoms, Associations of endodontic symptoms and signs with particular combinations of specific bacteria, 69
Endodontic treatment
An audit of endodontic treatment by undergraduates, 207 *abst*
Prevalence of periapical radiolucent lesions and quality of endodontic treatment in a Turkish population, 203 *abst*
Endomethasone, Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*
Epidermal growth factor, Detection of epidermal growth factor receptor in inflammatory periapical lesions, 179
Epithelial cell rests of Malassez, Detection of epidermal growth factor receptor in inflammatory periapical lesions, 179
Er:YAG-laser, Changes in pulpal microcirculation and tissue pressure following preparation of dentine using Er:YAG-laser, 206 *abst*
Erratum, 216

Eugenols, An *in vitro* evaluation of the cytotoxicity of four eugenols, 198 *abst*
European Society of Endodontology
History of the European Society of Endodontology, 213
Regulations governing the ESE Research Prize at the European Society of Endodontology Congress in Gothenburg, 12-14 June 1997, 400
Seventh Congress, November 1995, Tel Aviv, Israel, *abs*tracts of research papers and posters, 195

Factorial analysis, Factors affecting the cutting ability of sonic files, 173
Fracture
A comparison of spreader loads and root distortion under simulated clinical condition, 206 *abst*
Factors associated with vertical root fractures of endodontically-treated teeth, 208 *abst*

Glass ionomer
Apical seal of glass ionomer root canal sealers, 196 *abst*
Root canal obturation with gutta-percha and glass ionomer root canal sealer, 199 *abst*
Grossman's sealer, A study of the physical properties of a potential root canal filling material, 348 *abst*
Guldener, Peter H.A., In Memoriam, 291
Gutta-percha
Assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Clinical uses of rectified turpentine oil, 93
Effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
Effectiveness of the Canal Finder and hand instrumentation in removal of gutta-percha root fillings during root canal retreatment, 382
In-vitro study of smear layer removal and microbial leakage along root-canal fillings, 99
Root canal obturation with gutta-percha and glass ionomer root canal sealer, 199 *abst*
Sealing ability of Thermafil obturators assessed by four different microleakage techniques, 327
Study of the physical properties of a potential root canal filling material, 348 *abst*
Thermafil and laterally condensed gutta-percha root fillings compared using four different techniques to assess apical microleakage, 348 *abst*

Haemostasis
Haemostasis in periradicular surgery: *review*, 135
Plasma catecholamine and haemodynamic responses to surgical endodontic anaesthetic protocols, 37
Harty, Frederick John, Obituary, 289
Hedstrom files, Cutting efficiency of Hedstrom, S and U files made of various alloys in filing motion, 302
Hybrid layer, Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
Hydrogen peroxide, Effect of 10% carbamide peroxide and 10% hydrogen peroxide on IRM temporary fillings, 207 *abst*
Hydroxyl ions, *in vitro* release of hydroxyl ions from six types of calcium hydroxide non-setting pastes, 196 *abst*

Immunoglobulin, Quantitative analysis of immunoglobulin in acute pulpitis, 209 *abst*
Incisor pulp, Functional and histological studies of rat incisor pulp after inferior alveolar nerve injury, 201 *abst*
Infected root dentine, Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118
Infection, Similarities of endodontic infection of two teeth in the same mouth, 346 *abst*
Inferior alveolar nerve injury, Functional and histological studies of rat incisor pulp after inferior alveolar nerve injury, 201 *abst*
Inflammatory periapical lesions, Detection of epidermal growth factor receptor in inflammatory periapical lesions, 179
Instrument shaping, Effect of Schneider's angle and root canal form on instrument shaping characteristics, 197 *abst*
Instrumentation techniques, Comparison of three instrumentation techniques in the preparation of simulated curved root canals, 315
Internal resorption, Root canal treatment of a root-fractured incisor tooth with internal resorption: a case report, 393
International Endodontic Journal, Editorial, 1
Intradental nerve excitability, Changes in intradental nerve excitability after pretreatment of exposed dentine with 10% SrCl2, 208 *abst*
Intrapulpal sites, Inability of calcium hydroxide to induce dentinogenesis in intrapulpal sites, 209 *abst*
IRM, Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256
IRM temporary fillings, Effect of 10% carbamide peroxide and 10% hydrogen peroxide on IRM temporary fillings, 207 *abst*
Irrigating solutions, Effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 204 *abst*

K-files, A comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
Ketac-Endo, Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*

Laser Doppler readings, Bandwidth and probe design: the effect on laser Doppler readings from vital and root-filled teeth, 205 *abst*
Laser Doppler traces, Correlation of laser Doppler traces with pulp canal contents in non-vital teeth, 347 *abst*
Lasers
Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
Changes in pulpal microcirculation and tissue pressure following preparation of dentine using Er:YAG-laser, 206 *abst*
Effects of CO2 and Nd:YAG lasers on dental pulp tissue, 200 *abst*
Effects of XeCl excimer laser on oral microflora *in vitro*, 197 *abst*
Pattern of transmission of laser light in teeth, 228
Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Leakage study
Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*
see also Microleakage: Sealers
LightSpeedTM, Assessing apical deformation and transportation following the use of Light-SpeedTM root-canal instruments, 113
Low viscosity resin, Evaluation of penetration of low viscosity resin into dentinal tubules by SEM, 201 *abst*
Lymphocytes, Quantitative analysis of lymphocytes and their subsets in periapical lesions, 344 *abst*

Mandibular first molars, The degrees and configurations of mesial canal curvatures of mandibular first molars, 200 *abst*
Mandibular incisors, The use of a modelling technique to investigate the root canal morphology of mandibular incisors, 29
Marginal chipping, Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip, SEM analysis, 295

© 1996 Blackwell Science Ltd.

Maxillary second molar. The maxillary second molar: variations in the number of roots and canals, 365
Mesial canal curvatures. The degrees and configurations of mesial canal curvatures of mandibular first molars, 200 *abst*
Metronidazole
In-vitro antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118
Micro-organisms. An assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Microbiological sampling
Microbiological root canal sampling: diffusion of a technology, 163
Reasons for dentists' acceptance or rejection of microbiological root canal sampling, 168
Microflora
Effects of XeCl excimer laser on oral microflora *in vitro*, 197 *abst*
Variations in the susceptibilities of components of the endodontic microflora to biomechanical procedures, 235
Microleakage
Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
Assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
Effect of tubular penetration of root canal sealers on dye microleakage, 23
in vitro study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249
in vitro study of coronal microleakage around post and core systems, 345 *abst*
In-vitro study of smear layer removal and microbial leakage along root-canal fillings, 99
Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256
Sealing ability of Thermafil obturators assessed by four different microleakage techniques, 327
Thermafil and laterally condensed gutta-percha root fillings compared using four different techniques to assess apical microleakage, 348 *abst*
Variation in the microleakage produced by four different techniques in root fillings in a simulated root canal model, 156
Minocycline
In-vitro antibacterial susceptibility of bacteria taken from infected root dentine to a mixture of ciprofloxacin, metronidazole and minocycline, 125
Sterilization of infected root-canal dentine by topical application of a mixture of ciprofloxacin, metronidazole and minocycline *in situ*, 118
MM 1500 files
Intra-canal cutting ability of MM 1500 files, 309
Operating characteristics of the MM 1500 sonic handpiece, 347 *abst*
Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip. SEM analysis, 295
Modelling technique. The use of a modelling technique to investigate the root canal morphology of mandibular incisors, 29
Monocytes. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *E. coli* lipopolysaccharide, 196 *abst*
NaOCl. An evaluation of cytotoxic effects of NaOCl, EDTA and Tubulicid Plus, 197 *abst*
Nd:YAG laser
Argon, CO2, and Nd:YAG lasers in endodontics, 195 *abst*
Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
The effects of CO2 and Nd:YAG lasers on dental pulp tissue, 200 *abst*
Nerve excitability. Changes in intradental nerve excitability after pretreatment of exposed dentine with 10% SrCl2, 208 *abst*
Nerve fibre significance. Contribution to the nerve fibre significance in human predentine, 204 *abst*
Nerve injury. Functional and histological studies of rat incisor pulp after inferior alveolar nerve injury, 201 *abst*
NHS endodontics. Towards a greater understanding of NHS endodontics, 349 *abst*
Nickel-titanium files
Comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
Comparison of stainless steel and nickel-titanium K-files in curved root canals, 370
Cutting efficiency of Hedstrom, S and U files made of various alloys in filing motion, 302
Cutting pattern of nickel-titanium and stainless-steel files, 345 *abst*
Investigation of the maintenance of canal curvature using two different types of endodontic file, 350 *abst*

Pain
Analgesic efficacy of diclofenac potassium in the management of endodontically caused pain, 206 *abst*
Influence of stepback versus stepdown instrumentation techniques on post-preparation pain, 203 *abst*
Palatal root canal. Difference between real curvature of the palatal root canal and its projection on clinical radiographs, 199 *abst*
Pattern resins, light-activated. Curing of light-activated post and core pattern resins, 347 *abst*
Penicillin resistance. The molecular basis of penicillin resistance in *Prevotella intermedia* and *Prevotella nigrescens*, 347 *abst*
Peptostreptococcus. The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Peptostreptococcus micros. A bioelectrical approach to studies on nitrogen assimilation in *Porphyromonas endodontalis* and *Peptostreptococcus micros*, 349 *abst*
Periapical lesions
Detection of epidermal growth factor receptor in inflammatory periapical lesions, 179
Quantitative analysis of lymphocytes and their subsets in periapical lesions, 344 *abst*
Periapical pathosis. Efficacy of antibiotic prophylaxis on post-preparation symptoms in asymptomatic teeth with periapical pathosis, 203 *abst*
Periapical radiolucent lesions. Prevalence of periapical radiolucent lesions and quality of endodontic treatment in a Turkish population, 203 *abst*
Periodontal disease. The use of a modelling technique to investigate the root canal morphology of mandibular incisors, 29
Periradicular bone defect treatment. Clinical evaluation of ceramic hydroxylapatite in periradicular bone defect treatment, 201 *abst*
Periradicular curettage. Periradicular curettage: *review*, 220
Periradicular healing. Periradicular healing in response to Diaket root-end filling material with and without tricalcium phosphate, 84: erratum, 216
Periradicular surgery. Haemostasis in periradicular surgery: *review*, 135

pH, pH of root canal sealers containing calcium hydroxide, 202 *abst*
Phantom tooth pain, Phantom tooth pain: a diagnosis of exclusion, 190
Plasma concentrations, Plasma catecholamine and haemodynamic responses to surgical endodontic anaesthetic protocols, 37
Porphyromonas, The antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Porphyromonas endodontalis, A bioelectrical approach to studies on nitrogen assimilation in *Porphyromonas endodontalis* and *Peptostreptococcus micros*, 349 *abst*
Post and core pattern, Curing of light-activated post and core pattern resins, 347 *abst*
Post-preparation pain, Influence of stepback versus stepdown instrumentation techniques on post-preparation pain, 203 *abst*
Post-preparation symptoms, Efficacy of antibiotic prophylaxis on post-preparation symptoms in asymptomatic teeth with periapical pathosis, 203 *abst*
Posts, Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262
Predentine, Contribution to the nerve fibre significance in human predentine, 204 *abst*
Prevotella spp., The molecular basis of penicillin resistance in *Prevotella intermedia* and *Prevotella nigrescens*, 347 *abst*
Primary teeth, The reliability of pulp testing primary teeth using a constant-voltage stimulator, 205 *abst*
Probe design, Bandwidth and probe design: the effect on laser Doppler readings from vital and root-filled teeth, 205 *abst*
Prognosis, Time-course and risk analyses of the development and healing of chronic apical periodontitis in man, 150
Pulp canal contents, Correlation of laser Doppler traces with pulp canal contents in non-vital teeth, 347 *abst*
Pulp chamber floor, Animal models for the study of perforations of the pulp chamber floor, 195 *abst*
Pulp testing, The reliability of pulp testing primary teeth using a constant-voltage stimulator, 205 *abst*
Pulpal microcirculation, Changes in pulpal microcirculation and tissue pressure following preparation of dentine using Er:YAG-laser, 206 *abst*
Pulpal obliteration, The application of the buccal object rule for the determination of calcified root canals, 284
Pulpitis, Quantitative analysis of immunoglobulin in acute pulpitis, 209 *abst*

Radicular dentine permeability, Influence of EDTA and ultrasonic irrigation on radicular dentine permeability measured *in vitro*, 199 *abst*
Radiographic assessment, Relation between dye penetration and radiographic assessment of root canal fillings *in vitro*, 198 *abst*
Radiographic films, The influence of D and E speed film on root canal working length determination, 345 *abst*
Radiographs, Difference between real curvature of the palatal root canal and its projection on clinical radiographs, 199 *abst*
Radiography, The use of a radiopaque contrast medium in endodontic radiography, 95
Radiopaque contrast media, The use of a radiopaque contrast medium in endodontic radiography, 95
Rectified turpentine, Clinical uses of rectified turpentine oil, 93
Reinstrumentation technique, Effectiveness of the Canal Finder and hand instrumentation in removal of gutta-percha root fillings during root canal retreatment, 382
Resin
  Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
  Evaluation of penetration of low viscosity resin into dentinal tubules by SEM, 201 *abst*
Retention, Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262
Retro-prep tip, Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip. SEM analysis, 295
Rigidity, Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262
Risk analyses, Time-course and risk analyses of the development and healing of chronic apical periodontitis in man, 150
Root anatomy, The maxillary second molar: variations in the number of roots and canals, 365
Root canal
  Difference between real curvature of the palatal root canal and its projection on clinical radiographs, 199 *abst*
  Evaluation of different preparation techniques in curved root canals: an *in vitro* study, 195 *abst*
  Ultrasonic inspection of root canals *in vitro* – a new method, 200 *abst*
  Use of a modelling technique to investigate the root canal morphology of mandibular incisors, 29
Root canal cleaning
  Effectiveness of three irrigating solutions on root canal cleaning after hand and mechanical preparation, 204 *abst*
  Method to fill root canals *in vivo* with the vacuum obturation technique, 204 *abst*
Root canal curvature, An investigation of the maintenance of canal curvature using two different types of endodontic file, 350 *abst*
Root canal fillings, Relation between dye penetration and radiographic assessment of root canal fillings *in vitro*, 198 *abst*
Root canal instrumentation
  Capability of three canal instruments for preparing simulated curved canals, 205 *abst*
  Comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
  Comparison of three instrumentation techniques in the preparation of simulated curved root canals, 315
  Effect of Schneider's angle and root canal form on instrument shaping characteristics, 197 *abst*
Root canal length
  Computer processed root canal length measurement via digital X-ray imaging and a new scaled measuring instrument, 210 *abst*
  Influence of D and E speed film on root canal working length determination, 345 *abst*
Root canal model, Variation in the microleakage produced by four different techniques in root fillings in a simulated root canal model, 156
Root canal obturation, Root canal obturation with gutta-percha and glass ionomer root canal sealer, 199 *abst*
Root canal preparation
  A comparison of stainless steel and nickel-titanium K-files in curved root canals, 370
  Electronic length measurement using small and large files in enlarged canals, 359
Root canal retreatment, Effectiveness of the Canal Finder and hand instrumentation in removal of gutta-percha root fillings during root canal retreatment, 382
Root canal sampling, Reasons for dentists' acceptance or rejection of microbiological root canal sampling, 168
Root canal sealer
  Apical seal of glass ionomer root canal sealers, 196 *abst*
  Assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
  Effect of tubular penetration of root canal sealers on dye microleakage, 23

in vitro study of the antibacterial properties of two calcium hydroxide-based root canal sealers, 202 *abst*
in vitro study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249
pH of root canal sealers containing calcium hydroxide, 202 *abst*
Root canal obturation with gutta-percha and glass ionomer root canal sealer, 199 *abst*
Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*
Root canal systems, The use of a radiopaque contrast medium in endodontic radiography, 95
Root canal therapy
Application of the buccal object rule for the determination of calcified root canals, 284
Microbiological root canal sampling: diffusion of a technology, 163
Phantom tooth pain: a diagnosis of exclusion, 190
Reasons for dentists' acceptance or rejection of microbiological root canal sampling, 168
Root distortion, A comparison of spreader loads and root distortion under simulated clinical condition, 206 *abst*
Root-end cavity, Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip. SEM analysis, 295
Root-end filling, Periradicular healing in response to Diaket root-end filling material with and without tricalcium phosphate, 84; erratum, 216
Root fillings, Variation in the microleakage produced by four different techniques in root fillings in a simulated root canal model, 156
Root fracture, Root canal treatment of a root-fractured incisor tooth with internal resorption: a case report, 393
Root length, Electronic length measurement using small and large files in enlarged canals, 359
Root resorption, Calcium ion diffusion from calcium hydroxide-containing materials in endodontically-treated teeth: an *in vitro* study, 271
Rubber dam clamps, Effect of various irrigant and autoclaving regimes on the fracture resistance of rubber dam clamps, 335

S and U files, Cutting efficiency of Hedstrom, S and U files made of various alloys in filing motion, 302
Scanning electron microscopy, A scanning electron and confocal laser microscope investigation of tetracycline-affected human dentine, 376
Schneider's angle, Effect of Schneider's angle and root canal form on instrument shaping characteristics, 197 *abst*
Sealers
Antimicrobial activity of calcium hydroxide-containing endodontic sealers on *Streptococcus faecalis in vitro*, 208 *abst*
Antimicrobial activity of endodontic sealers to anaerobic bacteria, 280
Apical and coronal seal of roots obturated with a dentine bonding agent and resin, 76
Assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers, 344 *abst*, 387
Clinical evaluation of Trifecta system with or withour sealer, 202 *abst*
in vitro study of the antibacterial properties of two calcium hydroxide-based root canal sealers, 202 *abst*
in vitro study of the coronal leakage of two root canal sealers using an obligate anaerobe microbial marker, 249
Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256
pH of root canal sealers containing calcium hydroxide, 202 *abst*
Semi-quantitative, three-dimensional leakage study of three endodontic sealers, 200 *abst*
Sealing ability, The sealing ability of Thermafil obturators assessed by four different microleakage techniques, 327
Shaping, Comparison of three instrumentation techniques in the preparation of simulated curved root canals, 315
Silastic 738 RTV adhesive sealant rubber, A study of the physical properties of a potential root canal filling material, 348 *abst*
Smear layer
Adherence of *Streptococcus gordonii* to smeared and nonsmeared dentine, 108
Effect of smear layer on microbial coronal leakage of gutta-percha root fillings, 242
In-vitro study of smear layer removal and microbial leakage along root-canal fillings, 99
Sodium hypochlorite
Effect of various irrigant and autoclaving regimes on the fracture resistance of rubber dam clamps, 335
Susceptibility of *Actinomyces israelii* to antibiotics, sodium hypochlorite and calcium hydroxide, 320
Sonic files, Factors affecting the cutting ability of sonic files, 173
Sonic handpiece
Intra-canal cutting ability of MM 1500 files, 309
Operating characteristics of the MM 1500 sonic handpiece, 347 *abst*
Root-end cavity preparation using the MicroMega Sonic Retro-prep Tip. SEM analysis, 295
Spirochaetes, A genetic approach to identify root canal spirochaetes and their potential virulence factors, 350 *abst*
Spreader loads, A comparison of spreader loads and root distortion under simulated clinical condition, 206 *abst*
SrCl2, Changes in intradental nerve excitability after pretreatment of exposed dentine with 10% SrCl2, 208 *abst*
Stainless steel
Comparison of bending and torsional properties of K-files manufactured with different metallic alloys, 185
Comparison of stainless steel and nickel-titanium K-files in curved root canals, 370
Cutting pattern of nickel-titanium and stainless-steel files, 345 *abst*
Investigation of the maintenance of canal curvature using two different types of endodontic file, 350 *abst*
Rigidity and retention of carbon fibre versus stainless steel root canal posts, 262
Streptococcus faecalis, Antimicrobial activity of calcium hydroxide-containing endodontic sealers on *Streptococcus faecalis in vitro*, 208 *abst*
Streptococcus gordonii
Adherence of *Streptococcus gordonii* to smeared and nonsmeared dentine, 108
Penetration of smeared or nonsmeared dentine by *Streptococcus gordonii*, 2
Student subscription rate, Editorial, 219
Subscription rate, Editorial, 219
Surfactants, Effect of various irrigant and autoclaving regimes on the fracture resistance of rubber dam clamps, 335
Surgical endodontics, Plasma catecholamine and haemodynamic responses to surgical endodontic anaesthetic protocols, 37

Technology diffusion, Microbiological root canal sampling: diffusion of a technology, 163
Temperature changes, Permeability, morphologic and temperature changes of canal dentine walls induced by Nd:YAG, CO2 and argon lasers, 13
Temporary restoration, Microleakage of Cavit, CavitW, CavitG and IRM by impedance spectroscopy, 256

Tetracycline. A scanning electron and confocal laser microscope investigation of tetracycline-affected human dentine. 376
Thermafil
In-vitro study of smear layer removal and microbial leakage along root-canal fillings. 99
Sealing ability of Thermafil obturators assessed by four different microleakage techniques. 327
Thermafil and laterally condensed gutta-percha root fillings compared using four different techniques to assess apical microleakage. 348 *abst*
Thermal obturation techniques. The relationship between canal taper and the extent of apical seal afforded by various obturation systems. 346 *abst*
Titanium dioxide. Histopathological evaluation of tissue reactions to titanium dioxide in comparison with calcium hydroxide. 206 *abst*
Titanium files. A comparison of bending and torsional properties of K-files manufactured with different metallic alloys. 185
Titanium tetrafluoride solution
Introducing the use of titanium tetrafluoride solution to endodontics. 207 *abst*
see also Nickel-titanium
Toot development. Resumed tooth development following avulsion of a permanent central incisor. 266
Torsional properties. A comparison of bending and torsional properties of K-files manufactured with different metallic alloys. 185
Transportation. Assessing apical deformation and transportation following the use of Light-SpeedTM root-canal instruments. 113
Tricalcium phosphate. Periradicular healing in response to Diaket root-end filling material with and without tricalcium phosphate. 84; erratum. 216
Trifecta system. Clinical evaluation of Trifecta system with or withour sealer. 202 *abst*
Tubular penetration. The effect of tubular penetration of root canal sealers on dye microleakage. 23
Tubulicid Plus. An evaluation of cytotoxic effects of NaOCl, EDTA and Tubulicid Plus. 197 *abst*
Tumour necrosis factor-alpha. TNF-alpha release in monocytes after exposure to calcium hydroxide treated *E. coli* lipopolysaccharide. 196 *abst*
Turpentine. Clinical uses of rectified turpentine oil. 93

Ultrasonic inspection. Ultrasonic inspection of root canals *in vitro* – a new method. 200 *abst*
Ultrasonic irrigation. Influence of EDTA and ultrasonic irrigation on radicular dentine permeability measured *in vitro*. 199 *abst*
Undergraduates. An audit of endodontic treatment by undergraduates. 207 *abst*

Vacuum obturation technique. A method to fill root canals *in vivo* with the vacuum obturation technique. 204 *abst*
Vertical root fracture
A comparison of spreader loads and root distortion under simulated clinical condition. 206 *abst*
Factors associated with vertical root fractures of endodontically-treated teeth. 208 *abst*
Vinyl resin. The use of a modelling technique to investigate the root canal morphology of mandibular incisors. 29

XeCl excimer laser. Effects of XeCl excimer laser on oral microflora *in vitro*. 197 *abst*